

QtPass

Realitygaps
IJhack

32C3 - 28-12-2015

QtPass

 **NOISE TO SIGNAL**
Rob Cottingham · socialsignal.com/n2s




**But we can't break up! Think of all the passwords
we'd have to change!**

Pass

```
[annejan@anuspap ~]$ pass
Password Store
├── share
│   ├── another
│   │   └── test
│   │       ├── another test
│   │       ├── lol ok
│   │       ├── test123
│   │       ├── test
│   │       └── testing 1 2 3
│   └── test
└── test
    ├── another test
    ├── little more
    ├── lol
    ├── more
    ├── more testing here
    ├── new file
    ├── some longer name goes here
    ├── test
    │   ├── lol
    │   ├── nice :-}
    │   ├── rest
    │   └── test
    └── test

[annejan@anuspap ~]$
```

QtPass



QtPass



This repository Search

Pull requests Issues Gist



IJHack / qtpass

Unwatch 24

Unstar 140

Fork 36

Code

Issues 21

Pull requests 0

Wiki

Pulse

Graphs

Settings

QtPass is a multi-platform GUI for pass, the standard unix password manager. <http://qtpass.org/> — Edit

584 commits

4 branches

16 releases

20 contributors

Branch: master

New pull request

New file

Find file

HTTPS

<https://github.com/IJHack/qtpass>



Download ZIP




annejan Merge branch 'master' of github.com:IJHack/qtpass


Latest commit 4d06244 8 days ago

artwork	Retina @2x icons added	7 months ago
debian	more debian attempts	4 months ago
localization	lupdate	22 days ago


QtPass




QtPass



QtPass



QtPass



The image shows a screenshot of the QtPass application window. The window has a title bar with a heart icon, a close button, and a title text "Password /home/annejan/.password-store/test...". Below the title bar is a password field filled with dots and a "Generate" button. A "Show password" checkbox is located below the password field. Below the checkbox are four text input fields labeled "url", "login", "nog een veld", and "hihi". The "url" field contains "http://qtpass.org", the "login" field contains "lol", the "nog een veld" field contains "met info", and the "hihi" field contains "cool". At the bottom of the window is a large text area labeled "meer info". At the very bottom are "OK" and "Cancel" buttons.

Password /home/annejan/.password-store/test...

..... Generate

☐ Show password

url http://qtpass.org

login lol

nog een veld met info

hihi cool

meer info

OK Cancel

QtPass

Clear the password display after some time #86

[Edit](#)[New Issue](#)**Closed**

karlgrz opened this issue on Aug 5 · 5 comments



karlgrz commented on Aug 5



I briefly searched through the open and closed issues to see if this was already mentioned, so forgive me if I missed it.

I see the "Hide Password" and "Hide Content" options in Config, but what I think would be cool is if the password / content window respected the "Autoclear" option and duration.

For example, if I have "Autoclear" set to 25 seconds, and "Hide Password" and "Hide content" unchecked, it would be great if that panel was cleared out when the clipboard was cleared out.

If this is something that sounds good I'd love to give it a shot implementing it if you would point me in the right direction. I haven't touched C++ in ages, heh.

Labels



None yet

Milestone



No milestone

Assignee



No one—assign yourself

Notifications

Unsubscribe

You're receiving notifications

QtPass



annejan commented on Aug 5

Owner



I would prefer adding a separate checkbox (and number box) for this option.

In short adding a configurable feature requires you to:

- 1) Add (private) variable(s) in `mainwindow.h`
- 2) Add the stuff in `dialog.cpp` (and `.h` and `.ui`) for the config interface.
- 3) In `mainwindow.cpp` read variables from settings in `checkConfig` method.
In `config` set variables in dialog, read them back (after ok) and update settings.
- 4) Use them new variables :-)

I think it's a smart thing to do this kind of thing in a separate branch in git.

QtPass

Issue 86 clear panel #87

Merged **annejan** merged 2 commits into **IJHack:master** from **karlgrz:issue-86-clear-panel** on Aug 6

Conversation 3


Commits 2

Files changed 6



karlgrz commented on Aug 6

Implemented a "Autoclear panel" checkbox and corresponding duration control in the Config tab.



QtPass

<https://qtpass.org>



QtPass

qtpass

GUI for password manager pass

[Register](#) | [Log in](#)

general

source: [qtpass](#) (extra, misc)

version: 1.0.5-1

maintainer: [Philip Rinn](#) [dm]

arch: any

std-ver: 3.9.6

VCS: [Git](#) ([Browse](#))

versions

testing: [1.0.5-1](#)

unstable: [1.0.5-1](#)

versioned links

1.0.5-1: [⬇](#) [⊕](#) [✎](#) [⚙](#) [ℹ](#)

binaries

[qtpass](#)

news

[2015-11-24] [qtpass 1.0.5-1 MIGRATED to testing](#) (Britney)

[2015-11-18] [Accepted qtpass 1.0.5-1 \(source amd64\) into unstable](#) (Philip Rinn)

[2015-11-11] [qtpass 1.0.4-1 MIGRATED to testing](#) (Britney)

[2015-11-05] [Accepted qtpass 1.0.4-1 \(source amd64\) into unstable](#) (Philip Rinn)

[2015-11-03] [qtpass 1.0.3-1 MIGRATED to testing](#) (Britney)

[2015-10-28] [Accepted qtpass 1.0.3-1 \(source amd64\) into unstable](#) (Philip Rinn)

[2015-10-26] [Accepted qtpass 1.0.1-1 \(source amd64\) into unstable, unstable](#) (Philip Rinn) (signed by: ChangZhuo Chen)

links

[homepage](#)

[lintian](#)

build: [logs](#) , [clang](#) ,
[reproducibility](#)

[popcon](#)

[browse source code](#)

[edit tags](#)

[screenshots](#)

ubuntu

version: 1.0.5-1

QtPass

<https://pad.ijhack.nl/p/qtpass>

<https://github.com/IJHack/qtpass>